

GENESIS
FORGING THE FUTURE

MACH II BASE MODULE SPECS



KOCKÒN MACH II BASE MODULES FUEL ANTI-THEFT DEVICE



XL 105

77 45 31 001
KOCKÒN M2 XL 105 BASE MODULE

RECOMMENDED APPLICATIONS

DAF, MAN, VOLVO, MERCEDES: all models
IVECO: Stralis, EuroStar, EuroTec, Trakker, EuroTrakker, EuroCargo with metal fuel tanks
RENAULT: Premium, Magnum, Midlum with metal fuel tanks

TECHNICAL SPECIFICATIONS

120 l/min	495 g
Ø 32 mm	40 mm
Alu	81 mm
109,5x109,5x91 mm	109,5 mm



SB 105

77 45 21 001
KOCKÒN M2 SB 105 BASE MODULE

RECOMMENDED APPLICATIONS

DAF, MAN, VOLVO, MERCEDES: all models
IVECO: Stralis, EuroStar, EuroTec, Trakker, EuroTrakker, EuroCargo with metal fuel tanks
RENAULT: Premium, Magnum, Midlum with metal fuel tanks

TECHNICAL SPECIFICATIONS

120 l/min	760 g
Ø 32 mm	60 mm
Alu	92,5 mm
109,5x109,5x102,5 mm	109,5 mm



ULTIMATE 105

77 45,11 001
KOCKÒN M2 ULTIMATE 105 BASE MODULE

RECOMMENDED APPLICATIONS

DAF, MAN, VOLVO, MERCEDES: all models
IVECO: Stralis, EuroStar, EuroTec, Trakker, EuroTrakker, EuroCargo with metal fuel tanks
RENAULT: Premium, Magnum, Midlum with metal fuel tanks

TECHNICAL SPECIFICATIONS

120 l/min	810 g
Ø 32 mm	60 mm
Alu	163 mm
109,5x109,5x177 mm	109,5 mm



XL 80

77 45 36 001
KOCKÒN M2 XL 80 BASE MODULE

RECOMMENDED APPLICATIONS

SCANIA: all models
JOHN DEERE: 5000-6000
MASSEY FERGUSON: 4292 hd

TECHNICAL SPECIFICATIONS

120 l/min	485 g
Ø 32 mm	40 mm
Alu	65,3 mm
109,5x109,5x83 mm	109,5 mm



SB 80

77 45 26 001
KOCKÒN M2 SB 80 BASE MODULE

RECOMMENDED APPLICATIONS

SCANIA: all models
JOHN DEERE: 5000-6000
MASSEY FERGUSON: 4292 hd

TECHNICAL SPECIFICATIONS

120 l/min	740 g
Ø 32 mm	60 mm
Alu	84,2 mm
109,5x109,5x101 mm	109,5 mm



ULTIMATE 80

77 45 16 001
KOCKÒN M2 ULTIMATE 80 BASE MODULE

RECOMMENDED APPLICATIONS

SCANIA: all models
JOHN DEERE: 5000-6000
MASSEY FERGUSON: 4292 hd

TECHNICAL SPECIFICATIONS

120 l/min	790 g
Ø 32 mm	60 mm
Alu	158,7 mm
109,5x109,5x175,5 mm	109,5 mm

KOCKÒN MACH II BASE MODULES FUEL ANTI-THEFT DEVICE



SB/C FE 60 TK

77 45 26 007
KOCKÒN SB/C FE 60 TK BASE MODULE

RECOMMENDED APPLICATIONS
THERMOKING: reefer trailers
INTER: 7600

TECHNICAL SPECIFICATIONS

80 l/min	650 g
Ø 32 mm	40 mm
Alu	70,3 mm
109,5x109,5x86 mm	109,5 mm



SB/C 85 BI2P

77 45 21 005
KOCKÒN SB/C 85 BI2P BASE MODULE

RECOMMENDED APPLICATIONS
THERMOKING: reefer trailers
IVECO: Eurocargo 6, Stralis 3rd tank in plastic
JCB, TEREX, KRAMER 880

TECHNICAL SPECIFICATIONS

80 l/min	500 g
Ø 32 mm	40 mm
Alu	80 mm
109,5x109,5x90 mm	90 mm



XL FE M80X2

77 45 37 002
KOCKÒN XL FE M80X2 BASE MODULE

RECOMMENDED APPLICATIONS
80 mm ext. threaded neck.

TECHNICAL SPECIFICATIONS

120 l/min	535 g
Ø 32 mm	40 mm
Alu	70,3 mm
109,5x109,5x86 mm	109,5 mm



SB 84 BE

77 45 25 001
KOCKÒN SB 84 BE BASE MODULE

RECOMMENDED APPLICATIONS
FREIGHTLINER

TECHNICAL SPECIFICATIONS

120 l/min	700 g
Ø 32 mm	52 mm
Alu	101,1 mm
109,5x109,5x109 mm	109,5 mm



SB FI 105

77 45 26 002
KOCKÒN SB FI 105 BASE MODULE

RECOMMENDED APPLICATIONS
IVECO: Crossway

TECHNICAL SPECIFICATIONS

120 l/min	825 g
Ø 32 mm	54 mm
Alu	83,1 mm
109,5x109,5x102,5 mm	109,5 mm



ULTIMATE FE M80X2

77 45 17 001
KOCKÒN ULTIMATE FE M80X2 BASE MODULE

RECOMMENDED APPLICATIONS
80 mm ext. threaded neck.

TECHNICAL SPECIFICATIONS

120 l/min	525 g
Ø 32 mm	60 mm
Alu	158,5 mm
109,5x109,5x175,5 mm	109,5 mm

KOCKÒN MACH II BASE MODULES FUEL ANTI-THEFT DEVICE



XL FE 90/3.5"

77 45 37 001
KOCKÒN XL FE 90/3.5" BASE MODULE

RECOMMENDED APPLICATIONS
KENWORTH: T600/T800
NORTH AMERICAN TANK TYPES:
(i.e. International eagle 9600)

TECHNICAL SPECIFICATIONS

120 l/min	950 g
Ø 32 mm	40 mm
Alu	70,3 mm
109,5x109,5x86 mm	109,5 mm



ULTIMATE FE 90/3.5"

77 45 17 003
KOCKÒN ULTIMATE FE 90/3.5" BASE MODULE

RECOMMENDED APPLICATIONS
KENWORTH: T600/T800
NORTH AMERICAN TANK TYPES:
(i.e. International eagle 9600)

TECHNICAL SPECIFICATIONS

120 l/min	800 g
Ø 32 mm	60 mm
Alu	158,5 mm
109,5x109,5x175,5 mm	109,5 mm



SB BI3P EX 235

77 45 22 001
KOCKÒN SB BI3P EX 235 BASE MODULE

RECOMMENDED APPLICATIONS
KOBELCO: EX235, EX 215
IVECO: Stralis 3rd tank in plastic
JBC, TEREX

TECHNICAL SPECIFICATIONS

120 l/min	700 g
Ø 32 mm	59 mm
Alu	94 mm
109,5x109,5x104 mm	109,5 mm



XL 80 S.PLA

77 45 36 002
KOCKÒN XL 80 S.PLA BASE MODULE

RECOMMENDED APPLICATIONS
CARRIER, KRONE, FENDT 824, KRAMER 1150

TECHNICAL SPECIFICATIONS

120 l/min	550 g
Ø 32 mm	40 mm
Alu	65,3 mm
109,5x109,5x82 mm	109,5 mm



XL 105 B SETRA

77 45 31 002
KOCKÒN XL 105 B SETRA BASE MODULE

RECOMMENDED APPLICATIONS
SETRA BUS

TECHNICAL SPECIFICATIONS

120 l/min	495 g
Ø 32 mm	32,2 mm
Alu	80,8 mm
109,5x109,5x91 mm	109,5 mm



XL 105 B ATEGO

77 45 31 003
KOCKÒN XL 105 B ATEGO BASE MODULE

RECOMMENDED APPLICATIONS
MERCEDES: Atego

TECHNICAL SPECIFICATIONS

120 l/min	495 g
Ø 32 mm	32,2 mm
Alu	80,8 mm
109,5x109,5x91 mm	109,5 mm

KOCKÒN MACH II BASE MODULES FUEL ANTI-THEFT DEVICE



ULTIMATE BI3P-S

77 45 12 001
KOCKÒN ULTIMATE BI3P-S BASE MODULE

RECOMMENDED APPLICATIONS

SINO TRUCK: all models

TECHNICAL SPECIFICATIONS

120 l/min	800 g
Ø 32 mm	60 mm
Alu	163 mm
109,5x109,5x177 mm	109,5 mm



ULTIMATE BI3P-H

77 45 12 002
KOCKÒN ULTIMATE BI3P-H BASE MODULE

RECOMMENDED APPLICATIONS

HINO TRUCK: all models

TECHNICAL SPECIFICATIONS

120 l/min	800 g
Ø 32 mm	60 mm
Alu	164 mm
109,5x109,5x177 mm	109,5 mm



XL LONG FI 66 S.PLA

77 45 56 001
KOCKÒN XL LONG FI 66 S.PLA BASE MODULE

RECOMMENDED APPLICATIONS

SCHMITZ: reefer trailers, plastic tank

TECHNICAL SPECIFICATIONS

120 l/min	625 g
Ø 32 mm	40 mm
Alu	119,3 mm
109,5x109,5x136 mm	109,5 mm



SB FE GAS 76 8G1/3"

77 45 27 001
KOCKÒN SB FE GAS 76 8G1/3" BASE MODULE

RECOMMENDED APPLICATIONS

MACK: Pinnacle, Vision, Granite, Silver

TECHNICAL SPECIFICATIONS

120 l/min	810 g
Ø 32 mm	59 mm
Alu	85,5 mm
109,5x109,5x102,5 mm	109,5 mm



ULTIMATE FE GAS 76 8G1/3"

77 45 17 002
KOCKÒN ULTIMATE FE GAS 76 8G1/3" BASE MODULE

RECOMMENDED APPLICATIONS

MACK: Pinnacle, Vision, Granite, Silver

TECHNICAL SPECIFICATIONS

120 l/min	860 g
Ø 32 mm	60 mm
Alu	158,5 mm
109,5x109,5x175,5 mm	109,5 mm



LB 105

77 45 21 006
KOCKÒN LB 105 BASE MODULE

RECOMMENDED APPLICATIONS

DAF, MAN, VOLVO, MERCEDES: all models
IVECO: Stralis, EuroStar, EuroTec, Trakker, EuroTrakker, EuroCargo with metal fuel tanks
RENAULT: Premium, Magnum, Midlum with metal fuel tanks

TECHNICAL SPECIFICATIONS

120 l/min	875 g
Ø 32 mm	53,9 mm
Alu	134 mm
109,5x109,5x144 mm	109,5 mm